

Chassis #				

Version 11/2019

## VEHICLE INSPECTION CHECKLIST

For complete details, please refer to the Inspection Guidelines Section of the MINI CPO Dealer Operations Manual

ENROLLM	IENT & V	EHICLE	HIST	ORY					STOCK NO.		
DATE:			DEAL	ER NAME	E:			[	DEALER NO	).:	
CHASSIS NO.:_			MILEA	AGE:				1	MODEL:		MODEL YEAR:
Keys (Model Dep	•		□Val	et [	□Wallet		Mil	leage is	to be verified	l by attachi	ng a copy of the Key Reader!
SOURCE:	□MINI FS OFF	-LEASE	□OTH	IER OFF-	-LEASE	□TRAD	E-IN	□AU(	CTION	□OTHE	R
SECTION 1: VE	HICLE BACKG	ROUND & M	AINTENAI	NCE							
CPO ENROLLM	MENT DATE:						If N	NOT enro	olled as CPO	(Pending o	r Active), STOP!
SERVICE ADVIS	OR NAME:					EMPLO	YEE NO.:.				
REPAIR ORDER	NO.:										
CONDITION-BA	SED SERVICE	(CBS)									
Item	Service is Du		Comm	ents:		CBS pr	intout RE	QUIRED	!		
Engine Oil		_ Date/Miles				Item		Servic	e is Due in:		Comments:
Front Brakes						Brake F			Mo		
Rear Brakes						Microfil			Mi		
Vehicle Check	-	_ Date/Miles				Air Clea Spark P			Da Mi		
VEHICLE MAINT		ORY				эрагк P	lugs		IVII	ies	<u> </u>
Engine Oil Servi		ES _	Date o	f Service	e:			ehicle In	quiry printou	t REQUIRE	
First Service							ervices		YES		Date of Service:
Next or Annual Next or Annual		⊒ ⊒				Front Pa					
Next or Annual		_ _				Rear Pa					
OPEN CAMPAIG		_		□YES	□NO	Front Ro Rear Ro					
NON-MINI PERF		DIFICATION	152	□YES	□NO		eplaceme	nt			
HAS CARFAX O					□NO	Other	, p		_		
DOES CARFAX						Belts Re	eplaced				
DISQUALIFY F	OR MINI CPO?			□YES	□NO	Wipers/			FT□ RF		
<b>BODY REPAIR H</b>	IISTORY?			□YES	□NO	Filters (	Cabin/En	gine)			
Body Repair Hist	tory: Repair Ord	ler(s):		DATE:		DEALER:					MILEAGE:
Comments — inc											
INSTRUMENT C	LUSTER										
Has the instrume		replaced?				□YES □	INO			cles NOT qua IINI CPO:	llified for enrollment or sale
If YES, does the		•	OTAL and	TRUE m	nileage?	□YES □	INO	ST	· Inc	onsistent or i	ncomplete maintenance history
Dealer/Factory i	nstalled JCW k	it?			-	□YES □	INO				ormance modifications ARFAX or AutoCheck report
JCW Kit register	ed on DCSNet?					□YES □	INO			iqualitying or	un rocor rate on cole report
SECTION 2: WI	HEEL ASSEMB	LY									
TIRE INSPECTION	N TIRE TREA										
Location	Pressure	Inside	Center		ıtside	OEI		Brand,	Type, Size,	Speed Ra	ting, Tread & Condition:
Left Front	psi	mm			mm	□YES					
Left Rear Spare (if applicable)	psi psi	mm			mm	□YES □YES	□NO □NO				
Right Rear	psi	mm			mm	□YES	□NO				
Right Front	psi	mm			mm	□YES	□NO				
WHEEL INSPEC	•										
Location	OEM*	Style. Co	ndition &	Torque:		Locati	on	0	EM*	Style. Co	ndition & Torque:
Left Front	□YES □NO					_ Right I			S □NO		
Left Rear	□YES □NO					_ Right I		□YE:	S □NO		
Spare (if applicable)	□YES □NO					_					
BRAKE INSPEC	TION BRAKE	PADS (minim	um 5 mm	of frictio	n material	) & ROTOR I	NSPECTI	ON:			
Location	Pad Measuren	-	EM*		or Condition	-	DEM*		omments		
Left Front		mm □YE	□NO			□YE	S □NO	_			
Left Rear						DYE					
Right Rear						DYE					
Right Front		mm □YE	□NO			□YE	ES □NO				

	_			_		 -	
		<b>3</b>			$\mathbf{L}$		
_		<i>(</i> •	w		$-\omega$		

			l	
Chassis #				

SECTION 3: BODY	CONDITION, FIT & FINISH				
AREA	MEETS MINI GUIDELINES & STANDARDS	COMMENTS	AREA	MEETS MINI GUIDELINES & STANDARDS	COMMENTS
Front bumper			<b>GLASS AREA</b>		
Hood			Windshield	□Y □NO	
Core support			Door & side glass	□Y □NO	
Engine carrying rails			Rear window	□Y □NO	
Inner fenders			Exterior mirrors	□Y □NO	
Front fenders: left &			Interior mirror	□Y □NO	
Doors: left/right			INTERIOR		
A pillar: left/right			Door weather seal		
B pillar: left/right			Carpet/floor mats		<u> </u>
C pillar: left/right			Interior trim		
D pillar: left/right			Cup holder(s)		
Rocker/sill panels			Interior light(s)		
Roof			Glovebox		
Convertible top			Seats		
Sunroof (Hardtop)			Headliner		
Quarter panel: left/r			Manuals		
Antenna			TRUNK		
Hatch (model dependent)			Tools		
Tailgate (model dependent			Jack (model dependent)		
Club doors (model depen			Cargo Net (model depe		
Rear license plate			Cargo Cover (model d		
Rear taillight assemb			Cargo Mat (model dep		
Rear bumper			KEYS	endent)	
Park Distance Contro			— NETS — Master	G0 G1 G2	
Spare wheel well		-		□0 □1 □2 □0 □1 □2	
Rear floor plan			— Valet (model dependent)		
Inner trunk panels			— Wallet (model dependen		
Fuel-filler door			B PILLAR STICKE		
Mirror assembly (2)			— VIN		
Alignment of all pane			<ul> <li>Tire Placard</li> </ul>		
Augiment of all pain					
CECTION 4: MEGI	ANIOAL				
SECTION 4: MECH				METTO MINI	
	MEETS MINI GUIDELINES & STANDARDS	COMMENTS		MEETS MINI MECHANICAL GUID	ELINES
Headlight assembly	OEM* □Y □NO			& STANDARD	S COMMENTS
Fog light assembly	OEM* □Y □NO		Fluid levels:	Engine Oil	
Headlight washer jet	s (optional)		_	Brake □	
Wiper blade, assemb				Power steering □	
Door handle, hinge 8				Washer □	
Central locking func			_	Transmission	
Comfort Access			Coolant:	Coolant $\square$	
Alarm functions			Production Level:	-5F -10-F -15F -20F -	25F -30F -35F
Seat and headrest fu	ınctions □		(circle one)	SERVICE ACCEPTABL	E GOOD
Safety belt(s)	OEM* □Y □NO		Fluid leaks:	Transmission	
Airbag(s)	OEM* □Y □NO		(of components, lines,	Differential Front/Rear □	
Airbags (Side Curtain			tanks & couplings)	CV joints and boots □	
Deactivated	y □NO			Gas 🗆	
Child locking functio				Engine Oil	
Fuel-filler door locki				Brake $\square$	
Trunk lock	g		_	Power steering	
Rear wiper (optional)			_	Shocks & Struts	
Shock absorbers			<u> </u>	Coolant	•
Suspension compone			_	A/C	
Front control arm bu		-		Hydraulic	
Steering	silligs 🗆		Battery Voltage:	•	2.49 12.5 12.7
Major component mo			battery voltage. (circle one)	REPLACE CHARGE	GOOD 12.7
Exhaust system				The minimum voltage for delivery of a	
Poly-V Belt		-	_	is 12.50V.Note: See "Battery Inspection	
roty-v Dell					
Rolt tancionar				CPO Dealer Operations Manual	
Belt tensioner Cooper S JCW only:			— Diagnostic fault — review:	CPO Dealer Operations Manual  Corrected □ & Cleared □	

D	0	Λ		Т	E	C	T
П	u		ப			J	•

	1 1	1	1	ı	ı	1 1	ı
Chassis #							

## **SECTION 5: STATIONARY REVIEW**

Minimum road test time period	d: 20 uninterrupted minutes.	Mileage Before:		Mileage (BEFORE and AFTER) is to be verified
Minimum road test time period. 20 difficent minutes.  Minimum road test distance: 5 continuous miles.		Mileage After:		through attaching a copy of the Key Reader.
	AREA	MEETS MINI GUIDELINES & STANDARDS	COMMENTS	
Driver's Seat Functions	Safety Belt			
	Front/back-up/down			
	Headrest			
	Lumbar (if applicable)			
Mirror Functions	Outside left/right			
	Interior — self dimming			
Navigation System	Functional <u>Test</u> and <u>Deliver</u> wi	th		
	a working CD or DVD			
Windshield	Rain Sensor Operation			
On-Board Computer	Functional test			
Steering Wheel	Adjustable			
	Airbag			
	Audio functions			
	Horn functions			
Stalk Controls	Wiper/washer			
	High beams			
	Computer			
Pedal Function	Gas			
	Brake		-	
	Clutch (if applicable)			
Gearshift Function			-	
Parking Brake Function				
HVAC Control	Heat (circle one)	50F 55F 60F 65F SERVICE ACCEPTABLE	70F 75F 80I	F 85F
	A/C (circle one)	40F 45F 50F 55I		
	Fan			
	Temp Range			
	Blower speeds	_		
	Blower: Defrost			
	Center			
	Lower			
	Vent controls			
	Windshield defogger			
	Rear window defrost			
	Re-circulating			
Audio Function	Radio:			
	AM			
	FM			
	CD			
	Satellite Radio (if applicable	le)		
	iPod Adapter (if applicable)			
	Aux input			
	Speakers:			
	Balance			
	Fade			
Convertible Top	Sunroof section			
-	Top Opening & Closing sequer	nce 🗆		

Mileage Before:\_

3 of 4 12MCPOCKLST 11-19

ROAD TEST				Chassis #					
SECTION 5: STATIONAL	RY REVIEW (CONTINUED)					·	·		·
		TS MINI GUIDELINES							
	AREA	& STANDARDS	COMMENTS						
Electrical	Vanity/visor								
	Map/interior								
	Headlights								
	Fog lights, front/rear (if applicable)								
	Turn signals								
	Hazard flasher								
	Parking/side marker								
	Brake lights (3)								
	Back-up lights								
	Rear PDC								
	License Plate lights		-						
	Dash and console								
			-						
	Door lock								
	Seat heater(s)								
	Power window(s)								
	Cigarette lighter(s)								
	Power sunroof								
	Convertible top, and sunroof sectio	n 🗆							
SECTION 6: ROLLING R	PEVIEW								
	d following testing cycle, not while driv	ing the vehicle							
Checklist to be completed		TS MINI GUIDELINES							
	AREA	& STANDARDS	COMMENTS						
Engina Barfarmanaa	Cold/hot starting								
Engine Performance	_								
	Idle smoothness								
T	Acceleration								
Transmission Shifting	Manual/Automatic/CVT		-						
Cruise Control	Function(s)		-						
Noise	Wind								
	Squeaks								
	Rattles								
Vehicle Handling	Vibration								
	Stability								
	Braking								
	ABS								
	DSC								
Steering Wheel	Alignment								
Instrument Gauges	Operation								
Reset Tire Pressure Mon	itoring (if equipped)								
if tire pressure has been	adjusted								
Other:									
		_							
SECTION 7: APPROVAL									
		1	hiele hee beer		a al e == !	11a - 1		المناسبة	alas -'
recnnician's, Service Mai have been corrected. This	nager's, and MINI CPO Manager's signa s is a pre-owned vehicle; no claim is ma	atures certify that the ve ade, implied or otherwise	nicle has been ca e, that this vehicle	retully inspect e is in new cond	ea and dition.	tnat a	ippare	ent defi	cienci
	·	,	,						
	TED & COMPLETED? □YES □NO								
	TECH								
SERVICE MANAGER:		SIGNATUR	E:			_ DA	ГЕ:		
MINI CPO MANAGER NA	ME:	SIGNATUR	E:			DΔ	TE:		

\_\_\_\_\_\_ SIGNATURE: \_\_\_\_\_\_ DATE:\_\_\_

CUSTOMER NAME: \_\_\_\_\_